




JohnTools®

MANUFACTURER

SINCE 1996



TILE CUTTERS & TILING TOOLS

HANGZHOU JOHN HARDWARE TOOLS CO.,LTD

- 🌐 www.tilertool.com
- ☎ +86-571-88637866
- ✉ info@tilertool.com
- 🏢 Hangzhou John Hardware Tools CO.,Ltd
- 📍 Building 1, No.283 Renkang Road, Renhe Street, Yuhang District, Hangzhou, Zhejiang, China 311107

TILE CUTTING TOOLS



<i>Industrial level tile cutter</i>	9
<i>Professional tile cutter</i>	16
<i>Heavy duty tile cutter</i>	26
<i>Light duty tile cutter</i>	31
<i>Cutting blade</i>	39
<i>Cutting pen</i>	40
<i>Diamond disc</i>	41

LARGE FORMAT SLAB SYSTEM



<i>Large format slab cutter</i>	45
<i>Electric & manual cutter 2 in 1 kit</i>	46
<i>Large format slab workbench</i>	47
<i>Large format slab centipede workbench</i>	48
<i>Large format slab handling system</i>	50
<i>Large format slab trolley</i>	52
<i>Stone cutting machine</i>	53



LASER LEVEL

<i>Laser level</i>	56
--------------------	----

TILE CARRYING & LAYING TOOLS



<i>Tile vibration machine</i>	60
<i>Vacuum suction cup</i>	63
<i>Suction cup</i>	66
<i>Tile lifter</i>	67
<i>Tile beater</i>	67
<i>Rubber mallet</i>	67

OTHER CUTTING TOOLS



<i>Tile nipper</i>	71
<i>Glass cutter</i>	73
<i>Tile scribe</i>	73
<i>Hand tile saw blade</i>	73

DRILLING TOOLS



<i>Diamond hole saw</i>	77
<i>Hole saw set</i>	77
<i>Hole saw locator</i>	78

GRINDING & POLISHING TOOLS



<i>Hand rasps, files & planers</i>	81
<i>Grinding wheel</i>	83
<i>Polishing tools</i>	86

MIXING TOOLS



<i>Tryolean flicker machine</i>	89
<i>Mixing paddle</i>	91

MASONRY TOOLS



<i>Trowel</i>	95
<i>Scraper</i>	95
<i>Putty knife</i>	95

TILE LEVELING TOOLS



<i>Tile spacers</i>	98
<i>Tile leveling system</i>	99
<i>Tile height adjuster</i>	101

MEASURING TOOLS



<i>Measuring tools</i>	103
<i>Marking tools</i>	103



GROUTING & CLEANING TOOLS

Caulking gun	106
Grout remover	107
Finish kit	107
Grout float	108
Spreader	108
Cleaning tools	109



SAFETY EQUIPMENT

Safety equipment	112
------------------	-----



FLOOR TOOLS

Floor cutter	114
Floor tools	115



CARPET TOOLS

Carpet tools	118
--------------	-----



DISPLAY

Display	120
---------	-----

ABOUT JOHNTOOLS

Founded in 1996, Hangzhou John Hardware Tools Co., Ltd. is a leading manufacturer and exporter of premium manual tile cutters and tiling tools.

With 30 years of innovative R&D and efficient production capabilities, John Tools has become a global leader in the tiling tools industry. The company's tile cutting machines have ranked #1 in worldwide sales for 10 consecutive years, serving customers in over 130 countries.


Housed in a modern 40,000 sq.m. factory and backed by a team of 250+ skilled professionals, John Tools is a famous export enterprise in Zhejiang Province. The company holds dozens of patents and trademarks, and is certified by Germany's GS and ISO9001 standards - a testament to its engineering excellence.

John Tools provides world-class OEM/ODM services, offering customers a wide range of customizable product models and package designs. Committed to "honesty, pragmatism, innovation, and mutual benefit," the company promises superior quality, competitive pricing, prompt delivery, and unparalleled customer satisfaction.

Backed by decades of experience and expertise in the tiling tools sector, John Tools has earned widespread recognition from businesses around the world. The company is regarded as a reliable partner and a symbol of quality, enthusiasm, innovation and customer satisfaction.

For every **5** tile cutting machines sold globally
1 was produced by **JOHNTOOLS**

THE INAUGURAL DOMESTIC TILE CUTTING MACHINE MANUFACTURING FACILITY IN CHINA



Lean Production Smart Manufacturing

The construction and configuration of the new smart factory maximally ensure adequate production capacity and supply capability, providing stable support for market demand.

27,000m²
land area

40,000m²
production facilities

300+
skilled workers

4.0
million tile cutter
annual output

140+
export countries



INTERNATIONALLY RECOGNIZED CERTIFICATIONS

Our company has earned a comprehensive suite of globally recognized certifications that affirm our steadfast commitment to quality, environmental stewardship, and regulatory compliance



CHINA HIGH-TECH ENTERPRISE
ZHEJIANG PROVINCE EXPORT BRAND
PATENT DEMONSTRATION ENTERPRISE

PARTICIPATED IN DRAFTING THE NATIONAL LIGHT INDUSTRY STANDARD FOR MANUAL TILE CUTTERS.



01

TILE CUTTING TOOLS



TQ1B-8102G-2Y

INDUSTRIAL LEVEL TILE CUTTER



Delivering industrial-level performance and maximum power.
Designed for the intensive cutting of all types of ceramic and porcelain tiles.

- Powerful braking system up to 1200 kg, operable with just one hand.
- Precise cutting with smooth slider (linear bearings inside)movements.
- Large cutting capacity, up to 18mm thickness, ideal for large-format tiles.
- Robust and detachable structure for high strength and easy transportation.
- Excellent braking system performance, providing clean and smooth cuts.
- Durable base, guide, and braking system.
- 80cm adjustable gauge for fast and accurate 0°-60° angle cutting measurements.
- Adjustable lateral stop for repetitive cuts.
- Spring support base for stable tile placement.
- Patented lockable break bar for visible cutting performance.
- Easy to transport, with rubber wheels and a handle.
- Includes 22mm extreme scoring wheels.

1050-1550 mm	CUTTING ANGLE 0-60°	18 mm (max)	1200 KG	Patented
	Ti COATED			B ALL BEARINGS

Delivering industrial-level performance and maximum power.
Designed for the intensive cutting of all types of ceramic and porcelain tiles.

- Powerful braking system up to 1200 kg, operable with just one hand.
- Precise cutting with smooth slider (linear bearings inside)movements.
- Large cutting capacity, up to 16mm thickness, ideal for large-format tiles.
- Robust structure for high strength.
- Excellent braking system performance, providing clean and smooth cuts.
- Durable chassis, guides, and braking system.
- 40cm adjustable gauge for fast and accurate 0°/45° angle cutting measurements.
- Adjustable lateral stop for repetitive cuts.
- Spring support base for stable tile placement.
- Patented lockable break bar for visible cutting performance.
- Easy to transport, with rubber wheels and a handle.
- Includes 22mm extreme scoring wheels.

700-1220 mm	CUTTING ANGLE 0-60°	16 mm (max)	1200 KG	Patented
	Ti COATED			B ALL BEARINGS

TQ1B-8102G-2Y-1050	42"	1065mm	750mm	18mm	1200kgs	Ø22* Ø6*6mm	1pc	25kgs	133x35.5x28.5cm
TQ1B-8102G-2Y-1300	52"	1320mm	930mm	18mm	1200kgs	Ø22* Ø6*6mm	1pc	30.8kgs	158x35.5x28.5cm
TQ1B-8102G-2Y-1550	62"	1575mm	1110mm	18mm	1200kgs	Ø22* Ø6*6mm	1pc	35kgs	183x35.5x28.5cm

TQ1B-8102G-2-700	28"	700mm	495mm	16mm	1200kgs	Ø22* Ø6*6mm	1pc	13.5kgs	98x35.5x28cm
TQ1B-8102G-2-900	36"	900mm	635mm	16mm	1200kgs	Ø22* Ø6*6mm	1pc	17kgs	118x35.5x28cm
TQ1B-8102G-2-1200	48"	1220mm	860mm	16mm	1200kgs	Ø22* Ø6*6mm	1pc	20kgs	148x35.5x28cm

TQ1B-8102G-T3



Delivering industrial-level performance with unmatched portability, user-friendly design.

Designed for the intensive cutting of all types of ceramic and porcelain tiles.

Features a detachable support system for large-format tiles and easy carrying.

Constructed with high-quality steel and alloy,

the machine's structure is optimized for precise cutting.

Accuracy within 1.0mm, suitable for tiles 4mm to 16mm thick.

Ergonomic long-reach handle delivers enhanced leverage and effortless operation.

The high-quality 22mm cutting wheel offers long-lasting performance.

The fully enclosed, dust-free design requires no adjustments

The portable support system with screw positioning allows for easy installation,

while the movable wheels enable convenient transportation.

An infrared laser enables even more precise cutting,

and the diagonal positioning device makes it suitable for diagonal cutting tasks.

Patented lockable break bar for visible cutting performance.

	1200-1800 mm	CUTTING ANGLE 45°/90°	16 mm (max)	1200 KG
		22x6x6 mm YG-6X	Ti COATED	LASER

TQ1B-8102G-2G



Delivering industrial-level performance with unmatched portability, user-friendly design.

Designed for the intensive cutting of all types of ceramic and porcelain tiles.

Features a detachable support system for large-format tiles and easy carrying.

Constructed with high-quality steel and alloy,

the machine's structure is optimized for precise cutting.

Accuracy within 1.0mm, suitable for tiles 4mm to 16mm thick.

The high-quality 22mm cutting wheel offers long-lasting performance.

The fully enclosed, dust-free design requires no adjustments

The portable support system with screw positioning allows for easy installation,

while the movable wheels enable convenient transportation.

An infrared laser enables even more precise cutting,

and the diagonal positioning device makes it suitable for diagonal cutting tasks.

Patented lockable break bar for visible cutting performance.

	800-1800 mm	CUTTING ANGLE 45°/90°	16 mm (max)	1000 KG
		22x6x6 mm YG-6X	Ti COATED	LASER

TQ1B-8102G-T3-1200	48"	1220mm	860mm	16mm	1200kgs	∅22*∅6*6mm	1pc	18kgs	153x17.5x26cm
TQ1B-8102G-T3-1600	64"	1625mm	1150mm	16mm	1200kgs	∅22*∅6*6mm	1pc	28kgs	193x17.5x26cm
TQ1B-8102G-T3-1800	72"	1830mm	1300mm	16mm	1200kgs	∅22*∅6*6mm	1pc	30kgs	213x17.5x26cm

TQ1B-8102G-2G-800	32"	800mm	565mm	16mm	1000kgs	∅22*∅6*6mm	1pc	13kgs	111x17.5x26cm
TQ1B-8102G-2G-1000	40"	1000mm	705mm	16mm	1000kgs	∅22*∅6*6mm	1pc	15kgs	131x17.5x26cm
TQ1B-8102G-2G-1200	48"	1220mm	860mm	16mm	1000kgs	∅22*∅6*6mm	1pc	17.5kgs	151x17.5x26cm
TQ1B-8102G-2G-1600	64"	1625mm	1150mm	16mm	1000kgs	∅22*∅6*6mm	1pc	27.4kgs	191x17.5x26cm
TQ1B-8102G-2G-1800	72"	1830mm	1300mm	16mm	1000kgs	∅22*∅6*6mm	1pc	24.7kgs	213x14x26cm



TQ1B-8102G-2A-DJ



Powerful industrial-grade performance in a lightweight.
Designed for the intensive cutting of all types of ceramic and porcelain tiles.

Patented lockable breaker with plastic protector ensures better visibility of the scoring and cutting zone.

Ergonomic soft-grip handle for comfortable, fatigue-free operation.

Robust yet lightweight aluminum base for supreme portability.

Includes 2 extra extension feet - easily handle oversize tiles.

Reinforced guide ensures exceptional bending resistance and precision.

Precision 80cm adjustable gauge enables fast, accurate measurements.

The guide system is highly resistant to impacts, resulting in longer product life.



900-1550 mm

CUTTING ANGLE 0-60°

16 mm (max)

1200 KG





22x6x6 mm YG-6X

Ti COATED

AI

TQ1B-8102G-2A



TQ1B-8102G-2Z



PROFESSIONAL TILE CUTTER

								
TQ1B-8102G-2A-DJ-900	36"	900mm	565mm	16mm	1000kgs	∅22*∅6*6mm	1pc	10.5kgs 116*25*25cm
TQ1B-8102G-2A-DJ-1200	48"	1200mm	705mm	16mm	1000kgs	∅22*∅6*6mm	1pc	13.2kgs 147*27.5*27cm
TQ1B-8102G-2A-DJ-1550	62"	1575mm	860mm	16mm	1000kgs	∅22*∅6*6mm	1pc	/ /

								
TQ1B-8102G-2A-800	32"	800mm	565mm	16mm	1000kgs	∅22*∅6*6mm	2pcs	23.5kgs 107x27.5x54.5cm
TQ1B-8102G-2A-900	36"	900mm	635mm	16mm	1000kgs	∅22*∅6*6mm	2pcs	25kgs 117x27.5x54.5cm
TQ1B-8102G-2A-1200	48"	1220mm	860mm	16mm	1000kgs	∅22*∅6*6mm	2pcs	26.4kgs 147x27.5x54.5cm
TQ1B-8102G-2Z-1200	48"	1220mm	860mm	16mm	1000kgs	∅22*∅6*6mm	1pc	12kgs 147x27.5x27cm
TQ1B-8102G-2Z-1650	66"	1675mm	1185mm	16mm	1000kgs	∅22*∅6*6mm	1pc	23kgs 191x25x26cm
TQ1B-8102G-2Z-1700	68"	1725mm	1220mm	16mm	1000kgs	∅22*∅6*6mm	1pc	/ 196x15x25cm
TQ1B-8102G-2Z-1850	74"	1880mm	1330mm	16mm	1000kgs	∅22*∅6*6mm	1pc	/ 211x15x25cm

TQ1B-8102G-2S-DJ



TQ1B-8102G-3B



TQ1B-8102G-2S



TQ1B-8102G-4



TQ1B-8102G-2S-DJ-1200	48"	1220mm	860mm	16mm	1000kgs	Ø22*Ø6*6mm	1pc	18.7kgs	145x129.5x27.5cm
TQ1B-8102G-2S-DJ-1650	66"	1675mm	1185mm	16mm	1000kgs	Ø22*Ø6*6mm	1pc	/	/
TQ1B-8102G-2S-900	36"	900mm	635mm	16mm	1000kgs	Ø22*Ø6*6mm	1pc	12.5kgs	115x19.5x25cm
TQ1B-8102G-2S-1200	48"	1220mm	860mm	16mm	1000kgs	Ø22*Ø6*6mm	1pc	16kgs	145x20x27.5cm

TQ1B-8102G-3B-600	24"	600mm	425mm	14mm	1000kgs	Ø22*Ø6*6mm	2pcs	15.5kgs	86x24.5x48.5cm
TQ1B-8102G-3B-800	32"	800mm	565mm	14mm	1000kgs	Ø22*Ø6*6mm	2pcs	18kgs	107x20x47cm
TQ1B-8102G-3B-900	36"	900mm	635mm	14mm	1000kgs	Ø22*Ø6*6mm	2pcs	20kgs	117x20x47cm
TQ1B-8102G-3B-1000	40"	1000mm	705mm	14mm	1000kgs	Ø22*Ø6*6mm	2pcs	22kgs	127x20x47cm
TQ1B-8102G-4-730	29"	735mm	520mm	16mm	1000kgs	Ø22*Ø10.5*2mm	2pcs	16kgs	98.5x29x49cm

TQ1Y-8102E-5B



TQ1Y-8102E-7B



TQ1Y-8102E-5L



TQ1Y-8102E-8L



TQ1Y-8102E-5B-600	24"	600mm	425mm	14mm	1000kgs	Ø22*Ø6*6mm	2pcs	16kgs	87x20.5x47cm
TQ1Y-8102E-5B-800	32"	800mm	565mm	14mm	1000kgs	Ø22*Ø6*6mm	2pcs	18kgs	107x20x47cm
TQ1Y-8102E-5B-900	36"	900mm	635mm	14mm	1000kgs	Ø22*Ø6*6mm	2pcs	20kgs	117x20x47cm
TQ1Y-8102E-5B-1000	40"	1000mm	705mm	14mm	1000kgs	Ø22*Ø6*6mm	2pcs	22kgs	127x20x47cm
TQ1Y-8102E-5B-1200	48"	1220mm	860mm	14mm	1000kgs	Ø22*Ø6*6mm	2pcs	27kgs	147x21x47cm
TQ1Y-8102E-5L-600	24"	600mm	425mm	14mm	1000kgs	Ø22*Ø6*6mm	2pcs	16.5kgs	87x20.5x47cm
TQ1Y-8102E-5L-800	32"	800mm	565mm	14mm	1000kgs	Ø22*Ø6*6mm	2pcs	20.8kgs	107x20.5x47cm
TQ1Y-8102E-5L-900	36"	900mm	635mm	14mm	1000kgs	Ø22*Ø6*6mm	2pcs	20kgs	117x20x47cm
TQ1Y-8102E-5L-1000	40"	1000mm	705mm	14mm	1000kgs	Ø22*Ø6*6mm	2pcs	23.2kgs	127x20x47cm
TQ1Y-8102E-5L-1200	48"	1220mm	860mm	14mm	1000kgs	Ø22*Ø6*6mm	2pcs	27kgs	147x21x47cm

TQ1Y-8102E-7B-730	29"	735mm	520mm	14mm	1000kgs	Ø22*Ø6*10.5-2mm	2pcs	16.2kgs	101.5x28.5x44cm
TQ1Y-8102E-8L-600	24"	600mm	425mm	14mm	1000kgs	Ø22*Ø6*6mm	2pcs	13kgs	87x27x48cm
TQ1Y-8102E-8L-800	32"	800mm	565mm	14mm	1000kgs	Ø22*Ø6*6mm	2pcs	15kgs	107x27x48cm
TQ1Y-8102E-8L-1200	48"	1220mm	860mm	14mm	1000kgs	Ø22*Ø6*6mm	2pcs	21kgs	147x27x48cm

TQ2D-8100K-2



TQ2D-8100X (Equipped Cutting Pen) TQ2-8106X (Equipped Cutting Blade)



TQ2D-8100K-3



TQ2D-8100T



TQ2D-8100K-2-900	36"	900mm	635mm	14mm	1000kgs	Ø10	2pcs	22.8kgs	119.5x25.5x28.5cm
TQ2D-8100K-3-650	26"	600mm	465mm	14mm	1000kgs	Ø10	2pcs	22kgs	94.5x23x28cm
TQ2D-8100K-3-800	32"	800mm	565mm	14mm	1000kgs	Ø10	2pcs	24kgs	110x23.5x29cm
TQ2D-8100K-3-900	36"	900mm	635mm	14mm	1000kgs	Ø10	2pcs	28kgs	120x23x28cm
TQ2D-8100K-3-1000	40"	1000mm	705mm	14mm	1000kgs	Ø10	2pcs	28kgs	130x23.5x29cm
TQ2D-8100K-3-1200	48"	1220mm	860mm	14mm	1000kgs	Ø10	2pcs	33.4kgs	150x23.5x28cm

TQ2D-8100X-630	25"	630mm	445mm	14mm	1000kgs	Ø10	3pcs	22.5kgs	82.5x21x41.5cm
TQ2D-8100X-800	32"	800mm	565mm	14mm	1000kgs	Ø10	2pcs	23kgs	102x21x28cm
TQ2D-8100X-900	36"	900mm	635mm	14mm	1000kgs	Ø10	2pcs	28kgs	112x21.5x28cm
TQ2D-8100X-1000	40"	1000mm	705mm	14mm	1000kgs	Ø10	2pcs	27.3kgs	122x21.5x28cm
TQ2-8106X-630	25"	630mm	445mm	14mm	1000kgs	Ø22*Ø6*6mm	3pcs	22.5kgs	82.5x21x1.5cm
TQ2-8106X-800	32"	800mm	565mm	14mm	1000kgs	Ø22*Ø6*6mm	2pcs	23kgs	102x21x28cm
TQ2-8106X-900	36"	900mm	635mm	14mm	1000kgs	Ø22*Ø6*6mm	2pcs	/	112x21.5x28cm
TQ2-8106X-1000	40"	1000mm	705mm	14mm	1000kgs	Ø22*Ø6*6mm	2pcs	29.4kgs	122x23x29cm
TQ2D-8100T-800	32"	800mm	565mm	18mm	1000kgs	22mm	1pcs	12kgs	108x26x16cm
TQ2D-8100T-1000	40"	1000mm	705mm	18mm	1000kgs	22mm	1pcs	14kgs	128x26x16cm
TQ2D-8100T-1200	48"	1200mm	850mm	18mm	1000kgs	22mm	1pcs	16kgs	148x26x16cm



TQ2-8106C-6



TQ2-8106C-8L



TQ2-8106C-3



TQ2-8106C-3L



HEAVY DUTY TILE CUTTER

TQ2-8106C-6-600	24"	600mm	425mm	14mm	1000kgs	Ø22*Ø6*6mm	1pc	13kgs	86x15x38cm
TQ2-8106C-6-800	32"	800mm	565mm	14mm	1000kgs	Ø22*Ø6*6mm	2pcs	22kgs	106x15x38cm
TQ2-8106C-6-1200	48"	1220mm	860mm	14mm	1000kgs	Ø22*Ø6*6mm	2pcs	30kgs	146x15x38cm
TQ2-8106C-3-600	24"	600mm	425mm	14mm	1000kgs	Ø22*Ø6*10.5-2mm	2pcs	18kgs	82x21x37cm
TQ2-8106C-3-700	28"	700mm	495mm	14mm	1000kgs	Ø22*Ø6*10.5-2mm	2pcs	20kgs	92x21x37cm
TQ2-8106C-3-800	32"	800mm	565mm	14mm	1000kgs	Ø22*Ø6*10.5-2mm	2pcs	21kgs	102x21x37cm
TQ2-8106C-3-900	36"	900mm	635mm	14mm	1000kgs	Ø22*Ø6*10.5-2mm	2pcs	23kgs	112x21x37cm
TQ2-8106C-3-1000	40"	1000mm	705mm	14mm	1000kgs	Ø22*Ø6*10.5-2mm	2pcs	25kgs	122x21x37cm

TQ2-8106C-8L-600	24"	600mm	425mm	14mm	1000kgs	Ø22*Ø6*6mm	2pcs	17kgs	84.5x29x39.5cm
TQ2-8106C-8L-800	32"	800mm	565mm	14mm	1000kgs	Ø22*Ø6*6mm	2pcs	18.5kgs	107x29x39.5cm
TQ2-8106C-8L-900	36"	900mm	635mm	14mm	1000kgs	Ø22*Ø6*6mm	2pcs	20kgs	124.5x29x39.5cm
TQ2-8106C-8L-1000	40"	1000mm	705mm	14mm	1000kgs	Ø22*Ø6*6mm	2pcs	12kgs	124.5x29x39.5cm
TQ2-8106C-8L-1200	48"	1220mm	860mm	14mm	1000kgs	Ø22*Ø6*6mm	1pc	27kgs	146x27x18.5cm
TQ2-8106C-3L-600	24"	600mm	425mm	14mm	1000kgs	Ø22*Ø6*6mm	2pcs	19kgs	87x27x48cm
TQ2-8106C-3L-800	32"	800mm	565mm	14mm	1000kgs	Ø22*Ø6*6mm	2pcs	25kgs	104.5x21.5x38cm
TQ2-8106C-3L-900	36"	900mm	635mm	14mm	1000kgs	Ø22*Ø6*6mm	2pcs	23kgs	114.5x22x38cm
TQ2-8106C-3L-1000	40"	1000mm	705mm	14mm	1000kgs	Ø22*Ø6*6mm	2pcs	28kgs	124.5x21.5x38cm
TQ2-8106C-3L-1200	48"	1220mm	860mm	14mm	1000kgs	Ø22*Ø6*6mm	2pcs	33.5kgs	144.5x21.5x38cm

TQ2-8106D-3



TQ2-8106A-7



TQ2-8106A-8



TQ2-8106A-9



TQ2-8106E-2



TQ2-8106D-3-500	20"	500mm	355mm	14mm	800kgs	Ø22*Ø6*6mm	2pcs	13.4kgs	72x19.5x29cm
TQ2-8106D-3-600	24"	600mm	425mm	14mm	800kgs	Ø22*Ø6*6mm	2pcs	15.7kgs	82x19.5x29cm
TQ2-8106A-8-600	24"	600mm	425mm	14mm	800kgs	Ø22*Ø6*6mm	2pcs	15.3kgs	82x19.5x29cm

TQ2-8106A-7-500	20"	500mm	350mm	14mm	800kgs	Ø22*Ø6*6mm	3pcs	29.5kgs	41x20x72cm
TQ2-8106A-7-600	24"	600mm	425mm	14mm	800kgs	Ø22*Ø6*6mm	3pcs	32.3kgs	47x20x82cm
TQ2-8106A-9-800	32"	800mm	565mm	14mm	800kgs	Ø22*Ø6*6mm	1pc	7.49kgs	101x18.5x14cm
TQ2-8106E-2-630	25"	630mm	445mm	16mm	800kgs	Ø22*Ø6*10.5-2mm	2pcs	22kgs	92x34x20.5cm

TQ2D-8100B-G



TQ2D-8100B-S



TQ2D-8100B-5



TQ2D-8100G-3



TQ2D-8100G-4



TQ2D-8100B-G-600	24"	600mm	425mm	12mm	800kgs	∅10, ∅8, ∅6	2pcs	13.5kgs	84x22.5x28cm
TQ2D-8100B-S-600	24"	600mm	425mm	12mm	800kgs	∅10, ∅8, ∅6	4pcs	21.2kgs	82x34x23cm

TQ2D-8100B-5-600	24"	600mm	425mm	14mm	800kgs	∅10, ∅8, ∅6	2pcs	11kgs	83x22x27cm
TQ2D-8100G-3-600	24"	600mm	425mm	14mm	800kgs	∅10, ∅8, ∅6	2pcs	24kgs	83x21x53cm
TQ2D-8100G-3-800	32"	800mm	565mm	14mm	800kgs	∅22, ∅10, ∅8, ∅6	2pcs	22kgs	103x21x36cm
TQ2D-8100G-3-1000	40"	1000mm	705mm	14mm	800kgs	∅22, ∅10, ∅8, ∅6	2pcs	23kgs	124x22x30cm
TQ2D-8100G-4-600	24"	600mm	425mm	14mm	800kgs	∅10, ∅8, ∅6	2pcs	14.7kgs	83x22x24cm

TQ2D-8100A



TQ2-8103E-4



TQ2-8103E-2



TQ2-8105E-S



LIGHT DUTY TILE CUTTER

TQ2D-8100A-525	21"	525mm	375mm	12mm	800kgs	Ø10	4pcs	23.5kgs	70x18.5x43cm
TQ2D-8100A-600	24"	600mm	425mm	12mm	800kgs	Ø10	4pcs	25kgs	79x19.5x47cm
TQ2-8103E-2-350	14"	350mm	250mm	10mm	800kgs	Ø15°Ø5*1.5mm	6pcs	15kgs	35x37x52cm
TQ2-8103E-2-430	17"	430mm	305mm	10mm	800kgs	Ø15°Ø5*1.5mm	4pcs	14.6kgs	58.5x18x45cm
TQ2-8103E-2-500	20"	500mm	355mm	10mm	800kgs	Ø15°Ø5*1.5mm	4pcs	15.5kgs	47x19.5x66cm
TQ2-8103E-2-600	24"	600mm	425mm	12mm	800kgs	Ø15°Ø5*1.5mm	4pcs	15.5kgs	47x19.5x76cm

TQ2-8103E-4-525	21"	530mm	375mm	12mm	800kgs	Ø22°Ø6*6mm	2pcs	12kgs	70x18x24cm
TQ2-8103E-4-650	26"	660mm	465mm	12mm	800kgs	Ø22°Ø6*6mm	2pcs	15kgs	82.5x18.5x25cm
TQ2-8105E-S-330	13"	330mm	230mm	12mm	800kgs	Ø15°Ø6*1.5mm	4pcs	13.4kgs	56x17x51cm
TQ2-8105E-S-400	16"	400mm	280mm	12mm	800kgs	Ø15°Ø6*1.5mm	4pcs	15kgs	56x17x59.5cm

TQ2-8101B



TQ2-8103A



TQ2-8101D



TQ2-8103B



TQ2-8101B-600	24"	600mm	425mm	12mm	800kgs	Ø16*Ø6*3mm	4pcs	24.5kgs	59x22x87cm
TQ2-8101D-400	16"	400mm	280mm	10mm	800kgs	Ø15*Ø6*1.5mm	4pcs	18kgs	48x19x67cm
TQ2-8101D-500	20"	500mm	350mm	10mm	800kgs	Ø15*Ø6*1.5mm	6pcs	22kgs	48x19x77cm
TQ2-8101D-600	24"	600mm	425mm	10mm	800kgs	Ø15*Ø6*1.5mm	4pcs	24kgs	48x19x87cm

TQ2-8103A-600	24"	600mm	425mm	12mm	800kgs	Ø16*Ø6*3mm	4pcs	21kgs	59x22x85cm
TQ2-8103A-800	32"	800mm	565mm	12mm	800kgs	Ø16*Ø6*3mm	2pcs	13.6kgs	105x23x30.5cm
TQ2-8103B-330	13"	330mm	230mm	12mm	800kgs	Ø22*Ø6*2mm	4pcs	22.5kgs	59x22x85cm
TQ2-8103B-400	16"	400mm	280mm	12mm	800kgs	Ø22*Ø6*2mm	6pcs	20kgs	42x37x62cm
TQ2-8103B-500	20"	500mm	350mm	12mm	800kgs	Ø22*Ø6*2mm	4pcs	16kgs	54x19x72cm
TQ2-8103B-600	24"	600mm	425mm	12mm	800kgs	Ø22*Ø6*2mm	4pcs	18.5kgs	54x19x82cm

TQ2-8103C



TQ2-8103D



TQ2-8103D-3A



TQ2-8105A-2



TQ2-8105A-4



TQ2-8103C-800	32"	800mm	565mm	14mm	800kgs	22°	Ø6*4.6mm	4pcs	21kgs	82x19x47cm
TQ2-8103D-400	16"	400mm	280mm	10mm	800kgs	15°	Ø6*1.5mm	4pcs	14kgs	47x19x62cm
TQ2-8103D-500	20"	500mm	350mm	10mm	800kgs	15°	Ø6*1.5mm	4pcs	19kgs	47x19x72cm
TQ2-8103D-600	24"	600mm	425mm	10mm	800kgs	15°	Ø6*1.5mm	4pcs	21kgs	47x19x82cm
TQ2-8103D-3A-350	14"	350mm	250mm	10mm	800kgs	15°	Ø6*1.5mm	6pcs	15kgs	31x28x52cm

TQ2-8105A-2-300	12"	300mm	210mm	10mm	800kgs	15°	Ø6*1.5mm	10pcs	14.8kgs	46x30x48.5cm
TQ2-8105A-2-330	13"	330mm	230mm	10mm	800kgs	15°	Ø6*1.5mm	10pcs	15kgs	49x30x47.5cm
TQ2-8105A-2-400	16"	400mm	280mm	10mm	800kgs	15°	Ø6*1.5mm	10pcs	18kgs	56x30x47.5cm
TQ2-8105A-4-500	20"	500mm	355mm	10mm	800kgs	15°	Ø6*1.5mm	4pcs	11.5kgs	69x16x44cm


TQ2-8105A/C



TQ2-8105D-3



TQ2-8105D-4



TQ2-8105A/C-300	12"	300mm	210mm	10mm	800kgs	Ø15° Ø6*1.5mm	10pcs	14.8kgs	46x30x47.5cm
TQ2-8105A/C-330	13"	330mm	230mm	10mm	800kgs	Ø15° Ø6*1.5mm	10pcs	15kgs	49x30x47.5cm
TQ2-8105A/C-400	16"	400mm	280mm	10mm	800kgs	Ø15° Ø6*1.5mm	10pcs	18kgs	56x30x47.5cm
TQ2-8105A/C-430	17"	430mm	300mm	10mm	800kgs	Ø15° Ø6*1.5mm	/	/	/
TQ2-8105D-3-400	16"	400mm	280mm	10mm	800kgs	Ø15° Ø6*1.5mm	6pcs	14.5kgs	61x32x33cm
TQ2-8105D-3-500	20"	500mm	350mm	10mm	800kgs	Ø15° Ø6*1.5mm	4pcs	11kgs	44x16x69cm
TQ2-8105D-3-600	24"	600mm	425mm	10mm	800kgs	Ø15° Ø6*1.5mm	2pcs	12kgs	44x16x79cm
TQ2-8105D-4-350	14"	350mm	250mm	10mm	800kgs	Ø15° Ø6*1.5mm	6pcs	21kgs	36x33.5x58.5cm

TQA-8117

TUNGSTEN
CARBIDE

ø12xø3x3mm



ø16xø6x3mm



ø22xø6x4.6mm



ø22xø6x6mm



ø15xø6x1.5mm



ø22xø6x2mm



ø22xø10.5x2mm



ø22xø6x10.5-2mm



TQA-8115

ø6 ø8 ø10 ø22

TUNGSTEN
CARBIDE



TQA-8115-S

ø6 ø8 ø10

TUNGSTEN
CARBIDE



TQA-8115-B

ø22

B ALL
BEARINGS



TQA-8117	Ø12xØ3x3mm	100pcs	300pcs	/	34x24x32cm
TQA-8117	Ø15xØ6x1.5mm	100pcs	300pcs	/	34x24x32cm
TQA-8117	Ø16xØ6x3mm	100pcs	300pcs	/	34x24x32cm
TQA-8117	Ø22xØ6x2mm	100pcs	300pcs	/	34x24x32cm
TQA-8117	Ø22xØ6x4.6mm	100pcs	300pcs	/	34x24x32cm
TQA-8117	Ø22xØ10.5x2mm	100pcs	300pcs	/	34x24x32cm
TQA-8117	Ø22xØ6x6mm	100pcs	300pcs	8kgs	34x24x32cm
TQA-8117	Ø22xØ6x10.5-2mm	100pcs	300pcs	/	34x24x32cm
TQA-8115	Ø6	100pcs	300pcs	/	34x24x32cm
TQA-8115	Ø8	100pcs	300pcs	/	34x24x32cm
TQA-8115	Ø10	100pcs	300pcs	/	34x24x32cm
TQA-8115	Ø22	100pcs	300pcs	/	34x24x32cm
TQA-8115-S	Ø6	100pcs	300pcs	/	34x24x32cm
TQA-8115-S	Ø8	100pcs	300pcs	/	34x24x32cm
TQA-8115-S	Ø10	100pcs	300pcs	/	34x24x32cm
TQA-8115-B	Ø22	100pcs	300pcs	/	34x24x32cm

CUTTING BLADE

CUTTING PEN

TQJ-DE-D105A

ø105xø20x1.2mm



TQJ-DE-D105B

ø105xø20x1.1mm



TQJ-A91104

ø110xø20x15x0.8mm



TQJ-A91105

ø110xø20x15x0.8mm



TMK-A91106

ø100xø20x30mm



TQJ-DE-D115

ø115xø22.23x1mm



TQJ-DE-D125

ø125xø22.23x1mm



TQJ-01

ø105xø22.23x1.2mm



TQJ-02

ø115xø22.23x1.2mm



TQJ-03

ø125xø22.23x1.2mm



DIAMOND DISC.

	Ø	Ø	mm	APPLICABLE	📦	📦	📦	📦
TQJ-DE-D105A	Ø105	Ø20	1.2mm	TQY-02	20pcs	200pcs	18.5kgs	47x33x20cm
TQJ-DE-D105B	Ø105	Ø20	1.1mm	TQY-02	20pcs	200pcs	16kgs	49x32x20.5cm
TQJ-DE-D115	Ø115	Ø22.23	1mm	DE-125X	20pcs	200pcs	/	/
TQJ-DE-D125	Ø125	Ø22.23	1mm	DE-125X	20pcs	200pcs	/	/
TQJ-A91104	Ø110	Ø20	0.8mm	TQY-02	20pcs	200pcs	18kgs	40x32x20.5cm
TQJ-A91105	Ø110	Ø20	0.8mm	TQY-02	20pcs	200pcs	18.2kgs	40x32x20.5cm
TQJ-A91106	Ø100	Ø20	0.8mm	GRINDER	20pcs	200pcs	17kgs	40x32x20.5cm
TQJ-01	Ø105	Ø22.23	1.2mm	STONE CUTTING MACHINE	20pcs	200pcs	/	/
TQJ-02	Ø115	Ø22.23	1.2mm	STONE CUTTING MACHINE	20pcs	200pcs	/	/
TQJ-03	Ø125	Ø22.23	1.2mm	STONE CUTTING MACHINE	20pcs	200pcs	/	/

02

LARGE FORMAT SLAB SYSTEM



TYF-DB-3



- Cutting thickness ranges from 4mm to 12mm.
- Designed specifically for cutting large format slabs.
- Convenient TILER carrying bag for storage and easy transportation.
- Extended ergonomic handle for comfortable and effortless operation.
- Crafted from premium aluminum alloy, ensures lightweight construction and convenience.
- High-quality bearing wheels enable cutting lengths up to 2000 meters and facilitate easy replacement.
- Built-in suction cups on the guide rails eliminate the hassle of attaching separate suction devices, providing secure adhesion to the material being cut.

TYF-DB-3



1



8kgs



150x20x30cm

TYF-DE-125X



- Includes 125mm & 115mm Diamond disc.
- The manual cutting system can cut up to 12mm.
- The electric cutting system can cut up to 25mm.
- Double dust reduction/ control system. Dry and wet cutting.
- Comes with a TILER carry bag for easy storage and handling.
- Switch with safety lock. Prevents unintentional start-up. Electrical cable with PRCD.
- The cutting head is height-adjustable and hinged, allowing for angles ranging from 0° to 48°.
- Comprising 3 assembled extruded aluminum guides, this system enables flawless scoring in large format tiles up to 360cm, resulting in precise and smooth cuts.

TYF-DE-125X



1



15.6kgs

136x110x12.8cm(Accessories)
35.5x30x25.8cm(Host Engine)

TQJ-DE-D125
DIAMOND DISC.
ø125xø22.23x1mm



TQJ-DE-D115
DIAMOND DISC.
ø115xø22.23x1mm

TYF-DB-TB-3/1800



TYF-DB-TB-3/3600



- Rigidity high-quality aluminum profile.
- Multi-functional, can be used as a versatile workbench.
- The leveling feet contribute to the increased stability of the set.
- Comes with a durable TILER nylon bag for storage and transportation.
- Customization options are available for the table surface's anti-slip feature.
- Fast and easy assembly and disassembly with a convenient fixed connection system.
- The extra-reinforced aluminum bars give the Slab workbench a lightweight, high rigidity, and great stability.
- The separation of its 12 aluminum bors allows the user to make perforations and cuts without fear of damaging the table itself.



TYF-DB-TB-3/1800

1



38kgs



183x26.5x20.5cm

TYF-DB-TB-3/3600

1

47.7kgs

183x22x27cm

TYF-DB-TB-4



- Reinforced aluminum profile structure.
- Compressive load capacity: 1000KG.
- Quick folding and storage, ready to use without installation.
- Lightweight and easy to carry.
- Comes with a durable nylon carrying bag for convenient storage and portability.



TYF-DB-TB-4

1



13kgs



94x38.5x24cm

LARGE FORMAT SLAB WORKBENCH

LARGE FORMAT SLAB CENTIPEDE WORKBENCH

TYF-DB-CY-2



LARGE FORMAT SLAB HANDLING SYSTEM

- Reinforced aluminum profile. Greater structural strength.
- The crossbars can be easily released for transporting long narrow slabs.
- The set includes 2 retractable and adjustable extruded aluminum guides (160-360cm).
- Equipped with 6 heavy-duty vacuum cups, the system stays firmly fixed.
- These suction cups are easily positionable and allow for adjustable fixing points, ensuring the safe handling of large format sheets.

TYF-DB-CY-2



1



29kgs



193x25.5x22.5cm

TYF-DB-CY-3



- Reinforced aluminum profile. Greater structural strength.
- Comes with 2 detachable and foldable support legs allow the system to stand upright.
- Consists of two retractable and adjustable extruded aluminum guides, ranging from 160 to 360 cm.
- The system is equipped with 6 heavy-duty vacuum suction cups that securely fix the system in place.
- These suction cups are easily positionable and allow for adjustable fixing points, ensuring the safe handling of large format sheets.

TYF-DB-CY-3



1



42.5kgs



193x27.5x30cm

TYF-DB-TU-2



- Ultra light and compact.
- Especially suitable for thicker/heavier slabs.
- Equipped with four 360° swivel casters with integrated braking and locking system.
- Easy and quick to assemble and disassemble. Eosy fix connection system.
- Designed with a collapsible base and a durable carrying bag for easy storage and portability.
- Ergonomic extendable support arm for easier loading/unloading on the workbench.

TYF-DB-TU-2



1



22.8kgs



144x26x20cm


LARGE FORMAT SLAB TROLLEY

TQY-02



STONE CUTTING MACHINE

- Full copper motor, 1500W ultra-high power, cold circulation cooling system, efficient operation, longer lifespan
 - Suitable for cutting various materials: metal, wood, stone, tiles, etc.
- Can make 45° bevel cuts, 0-35mm cutting depth, capable of wall groove cutting
 - Ergonomic anti-slip rubberized handle for comfort during extended use
 - Wider and thicker base plate for more stable cutting
 - Self-locking switch for safety assurance
- Aluminum protective cover, sturdy and durable, prevents debris from splashing
 - External carbon brushes for easier replacement



TQY-02

6

20.2kgs

67x27x41cm

03 LASER LEVEL

TCJ-01
2 Lines Laser Level



TCJ-02
5 Lines Laser Level



TCJ-03
12 Lines Laser Level



TCJ-04
Mini 12 Lines Laser Level



LASER LEVEL

	Wavelength	Accuracy	Source	Laser Safety Level	Working Temperature	Function	Aping Time	Working Hours			
TCJ-01	515-525mm	±1.5mm/7m	5200mAh x2	CLASS II	-10°C-50°C	Horizontal,Vertical Line	≤3s	6h	/	/	/
TCJ-02	515-520mm	±2mm/10m	5400mAh x2	CLASS II	-10°C-50°C	2xHorizontal2xVertical,1xcross Line	≤2s	18h	/	/	/
TCJ-03	515-530mm	±2mm/10m	5400mAh x2	CLASS II	-10°C-50°C	4xHorizontal,4xVertical,4xcross Line	≤2s	18h	/	/	/
TCJ-04	515-530mm	±1mm/5m	3200mAh x2	CLASS II	-10°C-50°C	4xHorizontal,4xVertical,4xcross Line	≤2s	18h	/	/	/



0 TILE CARRYING & LAYING TOOLS 44

TPP-8190-AT



TILE VIBRATION MACHINE



Vibrator Cup Diameter : 190MM
 Battery Capacity : 2000mAh
 Battery Voltage : 20V
 Charging Current : 1.5 A
 Battery Charging Time : 2h
 Vibration Frequency : 0-12000r/min
 Vertical Suction : 50KG

	⌀	⚡	🔋	🏠	📊	88	📧	📦	👤	📏
TPP-8190-AT	190mm	20V	2000mAh	50kgs	0-12000r/min	12	Y	4pcs	16.3kgs	107x26.5x52cm

TPP-8120-AT



TPP-8160-AT



TPP-8123-GD



TPP-8123-BGD



TPP-8123-DC



TPP-8123-BDC



	⚡	🔋	🏠	📊	⚙️	📦	📏	📦	📏	📦
	⚡	🔋	🏠	📊	⚙️	📦	📏	📦	📏	📦
TPP-8120-AT	120mm	12V	2000mAh	50kgs	0-12000r/min	6	Y	8pcs	19.5kgs	68x35x31cm
TPP-8160-AT	160mm	16V	2000mAh	50kgs	0-12000r/min	12	Y	/	/	/
TPP-8123-GD	190mm	20V	2000mAh	50kgs	0-16000r/min	9	Y	6pcs	26.5kgs	53.5x42.5x51cm

	⚡	🔋	🏠	📊	⚙️	📦	📏	📦	📏	📦
	⚡	🔋	🏠	📊	⚙️	📦	📏	📦	📏	📦
TPP-8123-BGD	190mm	20V	2000mAh	50kgs	0-10000r/min	12	Y	6pcs	29.2kgs	54x44x57cm
TPP-8123-DC	130mm	20V	2000mAh	50kgs	0-10000r/min	STEPLESS	Y	6pcs	27.5kgs	54x44x57cm
TPP-8123-BDC	130mm	16V	2000mAh	50kgs	0-10000r/min	12	Y	6pcs	23.2kgs	53.5x51.5x42.5cm

TPZ-K03



VACUUM SUCTION CUP

Automatically turn on/off pump
 Durable nitrile rubber
 Diameter : 210mm/8
 Load capacity : 200kg
 2 detachable 2*1200mAh Li-ion batteries.
 With pressure gauge for safe indication.
 Suitable for smooth and rough tiles.



TPZ-02



TPZ-01



TPZ-8128F-EN



TPZ-8128F-EB



TPZ-8128F-AW



TPZ-8128F-A



SUCTION CUP DIA.



TPZ-K03

210 mm

260 kgs

3

/

Y

2000 mAh

Y

6

/

/

TPZ-8128F-3



TPZ-8128F-2



TPX-8128-1



TPX-8128-2



TPX-8128-3



TPZ-8128F-2S



TPX-8128-4



TPX-8128-5



TPX-8128-6



TPX-8128-7



TPX-8128-7D

90°-270°



TPX-8128-7BS



SUCTION CUP

	Icon 1	Icon 2	Icon 3	Icon 4	Icon 5	Icon 6	Icon 7	Icon 8	Icon 9	Icon 10
TPZ-02	200mm	200kgs	3	/	Y	1200mAh	Y	10pcs	/	/
TPZ-01	240x160mm	300kgs	3	/	Y	4000mAh	Y	10pcs	21.6kgs	56x29.5x44.5cm
TPZ-8128F-EN	210mm	200kgs	3	Y	Y	2x1200mAh	Y	6pcs	/	/
TPZ-8128F-EB	210mm	200kgs	3	/	Y	2x1200mAh	Y	6pcs	/	/
TPZ-8128F-AW	210mm	200kgs	3	/	/	/	Y	6pcs	/	/
TPZ-8128F-A	210mm	200kgs	3	/	/	/	Y	6pcs	/	/
TPZ-8128F-3	210mm	200kgs	3	Y	/	/	Y	6pcs	/	/
TPZ-8128F-2	200mm	150kgs	3	Y	/	/	Y	6pcs	/	/
TPZ-8128F-2S	200mm	150kgs	3	Y	/	/	Y	6pcs	/	/

TPB-8128-S



TPB-8128



TPO-8203I-9

355x146mm



TPC-8124



TPC-8124A



TPC-8124G



	SUCTION CUP DIA.				
TPX-8128-1	123mm	50kgs	10pcs	5.2kgs	71x13x27.5cm
TPX-8128-2	123mm	80kgs	10pcs	9.2kgs	48x35x28cm
TPX-8128-3	123mm	100kgs	10pcs	12.7kgs	48x35x50cm
TPX-8128-4	123mm	30kgs	60pcs	17kgs	52x39x54cm
TPX-8128-5	123mm	60kgs	24pcs	16kgs	55x34x51cm
TPX-8128-6	123mm	90kgs	12pcs	13kgs	47x35x53cm
TPX-8128-7	123mm	100kgs	12pcs	16kgs	53x41.5x37.5cm
TPX-8128-7D	130mm	/	10pcs	16.5kgs	47.5x34x64cm
TPX-8128-7BS	180mm	/	4pcs	18.8kg	53.5x40.5x36cm
TPB-8128-S	/	80kgs	12pcs	5kgs	42x19x46cm
TPB-8128	/	/	15pcs	15.5kgs	37x34x32cm
TPO-8203I-9	/	/	10pcs	27kgs	51x39x36.5cm

	OUNCE			
TPC-8124	80Z	72pcs	26kgs	35x32x30cm
TPC-8124	120Z	60pcs	25kgs	35x35x33cm
TPC-8124	160Z	48pcs	28kgs	38x37x31cm
TPC-8124	240Z	36pcs	28kgs	42x37x31cm
TPC-8124	320Z	30pcs	29kgs	43x36x31cm
TPC-8124A	80Z	72pcs	26kgs	35x32x30cm
TPC-8124A	120Z	60pcs	25kgs	35x35x33cm
TPC-8124A	160Z	48pcs	28kgs	36x34x29cm
TPC-8124A	240Z	36pcs	28kgs	43x36x25cm
TPC-8124A	320Z	24pcs	27kgs	43x36x25cm
TPC-8124G	80Z	72pcs	26kgs	35x32x30cm
TPC-8124G	120Z	60pcs	25kgs	35x35x33cm
TPC-8124G	160Z	48pcs	28kgs	38x37x31cm
TPC-8124G	240Z	36pcs	28kgs	42x37x31cm
TPC-8124G	320Z	24pcs	25kgs	43x36x31cm



05

**OTHER
CUTTING
TOOLS**

TQQ-8107A



TQQ-8107B



TQQ-8108A



TQQ-8108B



Nippers with breaker & wheel, includes ø13xø6x1mm scoring wheel

TQQ-8126A-L



TQQ-8126A-M



TQQ-8126C



TQQ-8126C-2



Nippers with clamp jaw

TQQ-8126B



TQQ-8126A-N



TQQ-8126C-3



Heavy duty nippers with clamp jaw

TQQ-8126A-0



Heavy duty nippers with cutting wheels ø22xø6x2mm

TQQ-8107F



Heavy duty nippers with breaker & wheel, includes ø13xø6x1mm scoring wheel.

TQQ-8108C




U-type manual tile cutter with cutting wheel ø22xø6x4.6mm

TQT-01



Hand cutter with 5-row rollers

TYF-P-8701X-3



Heavy duty tile breaker

TQQ-8107A	50pcs	11.5kgs	48x18x39cm
TQQ-8107B	50pcs	11.5kgs	48x18x39cm
TQQ-8108A	50pcs	11.5kgs	48x18x39cm
TQQ-8108B	50pcs	11.5kgs	48x18x39cm
TQQ-8126A-L	60pcs	27kgs	50x31x26cm
TQQ-8126A-M	60pcs	27kgs	50x31x26cm
TQQ-8126C	60pcs	17kgs	50x30x21cm
TQQ-8126C-2	60pcs	17kgs	50x30x20cm
TQQ-8126B	60pcs	29kgs	63x32x29cm
TQQ-8126A-N	60pcs	16kgs	41x31x26cm
TQQ-8126C-3	60pcs	18kgs	56x30x32cm
TQQ-8126A-0	60pcs	25kgs	50x31x26cm
TQQ-8107F	60pcs	28kgs	59x30x39cm
TQQ-8108C	40pcs	15.4kgs	58x38x27cm
TQT-01	20pcs	31kgs	99x26x33cm
TYF-P-8701X-3	20pcs	18.5kgs	48x48x30cm

TQB-8150A-1



TQB-8150A-3



TQB-8150A-6



TQB-8150B-3



TQB-8150C-2



TQH-8114C



TQH-8114P-3



TQH-8114



TQS-8110-6"

TQS-8110-10"

TQS-8110-12"



			
TQB-8150A-1	240pcs	8.5kgs	36x33x26cm
TQB-8150A-3	240pcs	12kgs	36x33x26cm
TQB-8150A-6	240pcs	10kgs	36x33x26cm
TQB-8150B-3	240pcs	12kgs	36x33x26cm
TQB-8150C-2	240pcs	11kgs	36x33x26cm
TQH-8114C	120pcs	15kgs	/
TQH-8114P-3	200pcs	13kgs	35x28x22cm
TQH-8114	120pcs	15kgs	/
TQS-8110-6"	1200pcs	6kgs	20x21.5x13cm
TQS-8110-10"	1200pcs	7kgs	29x21.5x13cm
TQS-8110-12"	1200pcs	8kgs	34x21.5x13cm



GLASS CUTTER / TILE SCRIBE / HAND TILE SAW BLADE

06

DRILLING TOOLS



TKQ-8123G
ø6-ø120mm



TKQ-8123H
ø6-ø120mm



TKQ-8123H-D
ø6-ø110mm



TKQ-03
20mm,35mm,40mm,
45mm,50mm,68mm



TKQ-8112A
ø23-ø94mm



TKQ-8113-1
ø23-ø94mm



TKZ-8112D
ø4,5,6,8,10,12mm



TKQ-01

Drill Bit: 6/8/10/25/35/
50/65mm
Finger Bit: 10mm
Chamfer Bit: 50mm
Thread: M14



TKQ-02

6mm,8mm,10mm,
12mm,14mm,16mm,
18mm,20mm,25mm,
30mm



TKQ-8123A

ø33,ø53,ø67,ø73,
ø83mm



TKQ-8123N

ø22,ø30,ø35,ø42,ø68,
ø75mm



TKD-8123J
ø4,6,8,10,12mm



TKD-8123K
ø20-83mm



	SIZE(mm)	📦	📦	📦	📦
TKQ-8123G/H	6	50pcs	800pcs	7.2	42.5x40x28.5cm
TKQ-8123G/H	8	50pcs	800pcs	9.3	42.5x40x28.5cm
TKQ-8123G/H	10	40pcs	640pcs	9.3	42.5x40x28.5cm
TKQ-8123G/H	12	35pcs	560pcs	9	42.5x40x28.5cm
TKQ-8123G/H	14	30pcs	480pcs	9.6	42.5x40x28.5cm
TKQ-8123G/H	16	25pcs	400pcs	7.6	42.5x40x28.5cm
TKQ-8123G/H	18	25pcs	400pcs	10.7	42.5x40x28.5cm
TKQ-8123G/H	20	25pcs	400pcs	15.7	42.5x40x28.5cm
TKQ-8123G/H	22	25pcs	400pcs	16.5	42.5x40x28.5cm
TKQ-8123G/H	25	18pcs	288pcs	14.8	42.5x40x28.5cm
TKQ-8123G/H	27	12pcs	190pcs	10.2	42.5x40x28.5cm
TKQ-8123G/H	28	12pcs	190pcs	11.8	42.5x40x28.5cm
TKQ-8123G/H	30	12pcs	190pcs	12.3	42.5x40x28.5cm
TKQ-8123G/H	32	10pcs	160pcs	12.1	42.5x40x28.5cm
TKQ-8123G/H	35	10pcs	160pcs	12.3	42.5x40x28.5cm
TKQ-8123G/H	38	8pcs	128pcs	12.1	42.5x40x28.5cm
TKQ-8123G/H	40	8pcs	128pcs	11.3	42.5x40x28.5cm
TKQ-8123G/H	42	8pcs	128pcs	12.8	42.5x40x28.5cm
TKQ-8123G/H	45	8pcs	128pcs	13.8	42.5x40x28.5cm
TKQ-8123G/H	50	6pcs	96pcs	12.4	42.5x40x28.5cm
TKQ-8123G/H	55	6pcs	36pcs	7	46x40x23cm
TKQ-8123G/H	60	6pcs	36pcs	5.9	46x40x23cm
TKQ-8123G/H	65	6pcs	36pcs	5.4	46x40x23cm
TKQ-8123G/H	68	6pcs	36pcs	6.9	58x40x23cm
TKQ-8123G/H	70	6pcs	36pcs	6.9	58x40x23cm

	📦	📦	📦
TKQ-8112A	100pcs	30kgs	58x36x20cm
TKQ-8113-1	30pcs	10kgs	41x28x60cm
TKZ-8112D	250pcs	/	/
TKQ-01	/	/	/
TKQ-02	/	/	/
TKQ-8123A	/	/	/
TKQ-8123N	/	/	/
TKD-8123J	36pcs	13.4kgs	51x40x33cm
TKD-8123K	200pcs	18.2kgs	50x30x45.5cm

07 GRINDING & POLISHING TOOLS



TMB-8401



TMB-8401-2



TMB-8402



TMB-8403



TMB-8404



TMB-8405



TMB-8406



TMB-8407



TMB-8408



TMB-8409



Zn Al

TMB-8410

60x40MM,140x40MM,250x40MM,ø16x250MM



TOO-8411



Fe

TMD-8142



TMK-8118



Zn Al

Zn

Al

Zn Al

TMB-8401	60pcs	5kgs		30x56x30cm
TMB-8401-2	60pcs	5kgs		30x56x30cm
TMB-8402	60pcs	12kgs		52x28x56cm
TMB-8403	60pcs	10.5kgs		73x36x33cm
TMB-8404	60pcs	10kgs		72x29x62cm
TMB-8405(Al)	60pcs	12.5kgs		50x32x55cm
TMB-8405(Zn)	60pcs	24kgs		83x43x39cm
TMB-8406(Zn)	60pcs	23kgs		76x37x51cm
TMB-8407(Al)	60pcs	14kgs		38x22x52cm
TMB-8407(Zn)	60pcs	16kgs		38x22x52cm
TMB-8408(Al)	60pcs	/		74x60x46cm
TMB-8408(Zn)	60pcs	20kgs		74x60x46cm
TMB-8409(Al)	60pcs	12.5kgs		53x51x63cm
TMB-8409(Zn)	60pcs	21kgs		53x51x63cm
TOO-8411	/	/		/
TMD-8142	/	/		/
TMK-8118	/	/		/

				APPLICABLE
TMB-8410-60x40MM	120pcs	7kgs	32x26x38cm	For 8401
TMB-8410-140x40MM	120pcs	7kgs	38.5x26x29.5cm	For 8403,8407
TMB-8410-250x40MM	120pcs	9.5kgs	37.5x32x42cm	For 8404,8405,8406,8408,8409
TMB-8410-ø16x250MM	120pcs	13kgs	32x23x25cm	For 8402

TML-8118-C




TML-04



TML-01



TML-05



TML-02



TML-8118-H



TML-06



TML-03



TML-07



GRINDING WHEEL

TML-09



MILLING CHAMFER EDGE
85X22.23X15MM




MILLING CHAMFER EDGE
85X22.23X20MM



MILLING CHAMFER EDGE
85X22.23X25MM

TML-10



MILLING CHAMFER EDGE
85X22.23X30MM



MILLING CHAMFER EDGE
85X22.23X35MM



MILLING CHAMFER EDGE
85X22.23X40MM

TML-11



DIAMOND CHAMFER COUNTERSINK BITS
SIZE:38MM/50MM
THREAD:M10



TKZ-8118-F



DIAMOND BEVELING CHAMFER BIT
SIZE:35/50MM
THREAD:M14



TML-8118-D



GRINDING STONE

TCO-01




TILE CHAMFERING MACHINE

TMC-8118-2B




GRIT #60,#100,#200,#400

TMP-8118-B10-S



GRIT 50#, 100#,
200#, 400#, 800#,
1500#, 3000#

TMP-02



GRIT 50#, 100#,
200#, 400#, 800#,
1500#, 3000#

TMP-01



GRIT 50#, 150#,
300#, 500#, 1000#,
2000#, 3000#

TML-12



80MM
100MM
125MM



08

**MIXING
TOOLS**

TJT-8206

Stainless

**TJT-8209C**


Tin-plated

**TJT-8212**

Heavy Duty zinc-plated

TJT-8212B

(For TJT-8212)

**TJT-8211-2**

Zinc-plated

TJT-8211B

(For TJT-8211-2)

**TJT-8210-2**

Strong plastic molding

TJT-8210-2B
(For TJT-8210-2)

Strong plastic molding

**TJT-8208**

Powder-coated

TJT-8209A

Zinc-plated

TJT-8209B

Tin-plated

TJT-8207(For TJT-8206, TJT-8208,
TJT-8209A, TJT-8209B, TJT-8211-2)

Accessories

	MATERIAL	VOLUMETRIC CAPACITY			
TJT-8206	Stainless	1.5L	6pcs	9kgs	54x28x56cm
TJT-8209C	Tin-plated	1.5L	6pcs	9kgs	54x28x56cm
TJT-8212	Heavy Duty zinc-plated	2.0L	6pcs	15kgs	68x57x36cm
TJT-8212B	Accessories	/	6pcs	9kgs	42x22x38cm
TJT-8211-2	Zinc-plated	1.5L	6pcs	9kgs	88x27.5x59cm
TJT-8211B	Accessories	/	6pcs	9kgs	54x28x56cm
TJT-8210-2	Strong plastic molding	1.5L	6pcs	12kgs	59x34x66cm
TJT-8210-2B	Accessories	/	20pcs	11.5kgs	94x38x33cm
TJT-8208	Powder-coated	1.5L	6pcs	9kgs	54x28x56cm
TJT-8209A	Zinc-plated	1.5L	6pcs	9kgs	54x28x56cm
TJT-8209B	Tin-plated	1.5L	6pcs	9kgs	54x28x56cm
TJT-8207	Accessories	/	16pcs	9kgs	50x33x32cm



TJQ-8201
 TJQ-8201-60
 TJQ-8201-80
 TJQ-8201-100
 TJQ-8201-120



TJQ-8202
 TJQ-8202-60
 TJQ-8202-85
 TJQ-8202-100
 TJQ-8202-120



TJQ-8202B-2
 TJQ-8202B-2-60
 TJQ-8202B-2-80
 TJQ-8202B-2-100
 TJQ-8202B-2-120



TJQ-8204
 TJQ-8204-80
 TJQ-8204-110
 TJQ-8204-120



TJQ-8205
 TJQ-8205-90
 TJQ-8205-120



TJQ-8202B
 TJQ-8202B-60
 TJQ-8202B-80
 TJQ-8202B-100
 TJQ-8202B-120



TJQ-8205-2
 TJQ-8205-2-60
 TJQ-8205-2-80
 TJQ-8205-2-100
 TJQ-8205-2-120



TJQ-8217



TJQ-8214



TJQ-8215



TJQ-8205-2A
 TJQ-8202B-2-60
 TJQ-8202B-2-80
 TJQ-8202B-2-100
 TJQ-8202B-2-120



TJQ-8205-3
 TJQ-8205-3-135
 TJQ-8205-3-165



TJQ-8205-3A
 TJQ-8205-3A-115
 TJQ-8205-3A-140
 TJQ-8205-3A-160

		SIZE			
TJQ-8201-60	HEX 8	∅60x∅8x400mm	20	4.5kgs	45x14x38cm
TJQ-8201-80	HEX 8	∅80x∅8x400mm	20	5kgs	45x16x38cm
TJQ-8201-100	HEX 10	∅100x∅10x600mm	20	9.5kgs	66x25x36cm
TJQ-8201-120	HEX 10	∅120x∅10x600mm	20	15kgs	69x21x52cm
TJQ-8202-60	HEX 8	∅60x∅8x400mm	20	6kgs	43x20x25cm
TJQ-8202-85	HEX 8	∅85x∅8x400mm	20	8kgs	43x26x28cm
TJQ-8202-100	HEX 10	∅100x∅10x600mm	20	14kgs	63x32x32cm
TJQ-8202-120	HEX 10	∅120x∅10x600mm	20	15kgs	63x26x56cm
TJQ-8202B-2-60	SDS	∅60x∅400mm	20	8.1kgs	42x20x26cm
TJQ-8202B-2-80	SDS	∅80x400mm	20	8.5kgs	49x24x28cm
TJQ-8202B-2-100	SDS	∅100x450mm	20	9.9kgs	50x29x40cm
TJQ-8202B-2-120	SDS	∅120x600MM	20	12.1kgs	64x34x46cm
TJQ-8204-80	HEX 8	∅80x∅8x400mm	20	6kgs	48x24x17cm
TJQ-8204-110	HEX 10	∅110x∅10x560mm	20	10kgs	59x24x24cm
TJQ-8204-120	HEX 10	∅120x∅10x600mm	20	13kgs	64x26x26cm
TJQ-8205-90	HEX 10	∅90x∅8x500mm	20	11kgs	56x38x25cm
TJQ-8205-120	HEX 10	∅120x∅10x600mm	20	15kgs	70x23x48cm
TJQ-8202B-60	HEX 8	∅60x∅8x400mm	20	6.8kgs	42x20x26cm
TJQ-8202B-80	HEX 8	∅80x∅8x450mm	20	8kgs	49x24x25cm
TJQ-8202B-100	HEX 8	∅100x∅8x450mm	20	8.5kgs	48x32x35cm
TJQ-8202B-120	HEX 10	∅120x∅10x570mm	20	14kgs	60x26x60cm
TJQ-8205-2-60	HEX 8	∅60x∅8x400mm	36	8.8kgs	46x24x44cm
TJQ-8205-2-80	HEX 8	∅80x∅8x400mm	12	3.5kgs	46x26x18cm
TJQ-8205-2-100	HEX 8	∅100x∅8x600mm	12	4.7kgs	66x32x22cm
TJQ-8205-2-120	HEX 10	∅120x∅8x600mm	12	7.4kgs	66x38x26cm
TJQ-8217	M 6	∅60x∅6x350mm	50	3.6kgs	30x18x35cm
TJQ-8214	HEX 10	∅210x∅10x615mm	20	14kgs	72x22x32cm
TJQ-8215	HEX 8	∅105x∅8x535mm	20	10kgs	55x28x30cm
TJQ-8205-2A-60	SDS	∅60x400mm	36	12kgs	46x19x44cm
TJQ-8205-2A-80	SDS	∅80x400mm	12	4.8kgs	46x24x20cm
TJQ-8205-2A-100	SDS	∅100x600mm	12	7.3kgs	66x29x24cm
TJQ-8205-2A-120	SDS	∅120x600mm	12	7.4kgs	66x35x28cm
TJQ-8205-3-135	M 14	∅135x600mm	12	16.4kgs	65x29x47.5cm
TJQ-8205-3-165	M 14	∅165x600mm	12	18.3kgs	66x34x52cm
TJQ-8205-3A-115	M 14	∅115x600mm	12	12.7kgs	66x25x38cm
TJQ-8205-3A-140	M 14	∅140x600mm	12	14.2kgs	66x29x46cm
TJQ-8205-3A-160	M 14	∅160x600mm	12	15.2kgs	66x33x51.5cm

09

MASONRY TOOLS



TDM-8203F-4-U



 6x6mm
 8x8mm
 10x10mm
 12x12mm
 6x5mm
 R10mm
 280X120X0.7MM

TDM-A41105



 12x12mm
 480X120X0.8MM



TDM-A41106



 12x12mm
 600X120X0.8MM




TDM-8203E-7



280X130X0.7MM

TDM-8203E-7-U



 10x10mm
 280X130X0.7MM

TDM-8203E-7-V



 15x24mm
 280X130X0.7MM

TDG-TACV4
TDG-TACV6



 4x4mm
 6x6mm

TDG-TACU6
TDG-TACU9



 6x6mm
 9x9mm

TDY-8203F-2S



TDY-8103I-4D




				
TDM-8203F-4-U	12pcs	48pcs	23kgs	49x30x45cm
TDM-A41105	/	20pcs	14.2kgs	52x32x41cm
TDM-A41106	/	20pcs	17.8kgs	63x32x42cm
TDM-8203E-7	2pcs	36pcs	1.6kgs	68.5x67x32.5cm
TDM-8203E-7-U	2pcs	36pcs	1.4kgs	68.5x67x32.5cm
TDM-8203E-7-V	2pcs	36pcs	1.4kgs	68.5x67x32.5cm
TDG-TACV4	10pcs	120pcs	19.5kgs	52x40x34cm
TDG-TACV6	10pcs	120pcs	19.5kgs	52x40x34cm
TDG-TACU6	10pcs	120pcs	19.5kgs	52x40x34cm
TDG-TACU9	10pcs	120pcs	19.5kgs	52x40x34cm
TDY-8203F-2S	12pcs	144pcs	/	28x27x44ccm
TDY-8103I-4D	12pcs	144pcs	/	28x27x44ccm


TROWEL / SCRAPER / PUTTY KNIFE

10 TILE LEVELING TOOLS

TZS-8119-3




TZS-8119-6



TZS-8119-7



TZS-8119-4



TZS-8119-1U



TZS-8119-F5



TZS-8119-7A



TZP-8119-2P

TZP-8119-1P

TILE SPACERS

TZP-8119-2P



TZP-8119-1P



TZP-8119-8 PLIER



TZP-8119-8S



TZP-8119-8R



TZP-8119-8R(SET)



TZP-8119-T1



TZP-8119-T2



TZP-8119-2S



TZP-8119-1S



TZO-8119-8A



TZS-8119-3 1.0mm	200pcs	100bags	38x20x18cm
TZS-8119-3 1.5mm	200pcs	100bags	38x20x18cm
TZS-8119-3 2.0mm	200pcs	100bags	38x20x20cm
TZS-8119-3 2.5mm	200pcs	100bags	38x20x20cm
TZS-8119-3 3.0mm	200pcs	100bags	38x20x22cm
TZS-8119-3 4.0mm	100pcs	100bags	48x22x22cm
TZS-8119-3 5.0mm	100pcs	100bags	48x22x24cm
TZS-8119-6 1mm	200pcs	100bags	38x20x18cm
TZS-8119-6 2mm	200pcs	100bags	38x20x18cm
TZS-8119-6 3mm	200pcs	100bags	38x20x20cm
TZS-8119-6 5mm	100pcs	100bags	45x40x35cm
TZS-8119-6 7mm	100pcs	100bags	45x40x40cm
TZS-8119-6 10mm	100pcs	100bags	45x40x50cm
TZS-8119-7 1.0mm	100pcs	100bags	50x30x44cm
TZS-8119-7 1.5mm	100pcs	100bags	50x30x44cm
TZS-8119-7 2.0mm	100pcs	100bags	50x30x44cm
TZS-8119-7 2.5mm	100pcs	100bags	50x30x46cm
TZS-8119-7 3.0mm	100pcs	100bags	50x30x46cm
TZS-8119-7 4.0mm	100pcs	100bags	50x30x48cm
TZS-8119-7 5.0mm	100pcs	100bags	50x30x48cm
TZS-8119-4 1.0mm	100pcs	100bags	50x30x44cm
TZS-8119-4 1.5mm	100pcs	100bags	50x30x44cm
TZS-8119-4 2.0mm	100pcs	100bags	50x30x44cm
TZS-8119-4 2.5mm	100pcs	100bags	50x30x46cm
TZS-8119-4 3.0mm	100pcs	100bags	50x30x46cm
TZS-8119-4 4.0mm	100pcs	100bags	50x30x48cm
TZS-8119-4 5.0mm	100pcs	100bags	50x30x48cm
TZS-8119-1U 1.5mm	100pcs	100bags	57x40x26cm
TZS-8119-1U 3.0mm	100pcs	100bags	57x40x30cm
TZS-8119-F5	100pcs	100bags	57x40x26cm
TZS-8119-7A	100pcs	100bags	50x30x44cm
TZP-8119-2P 1.0mm	100pcs	40bags	52x40x40cm
TZP-8119-2P 1.5mm	100pcs	40bags	52x40x40cm
TZP-8119-2P 2.0mm	100pcs	40bags	52x40x40cm
TZP-8119-2P 2.5mm	100pcs	40bags	52x40x40cm
TZP-8119-2P 3.0mm	100pcs	40bags	52x40x40cm
TZP-8119-1P	100pcs	20bags	54x38x26cm
TZP-8119-8 PLIER	1pc	50pcs	42x42x50cm
TZP-8119-8S	/	/	/
TZP-8119-8R	50pcs	20bags	52x46x33cm
TZP-8119-8R(SET)	200pcs	12boxes	42x40x30cm
TZP-8119-T1 1.0mm	100pcs	20bags	54x44x42cm
TZP-8119-T1 1.5mm	100pcs	20bags	54x44x42cm
TZP-8119-T1 2.0mm	100pcs	20bags	54x44x42cm
TZP-8119-T1 2.5mm	100pcs	20bags	54x44x42cm
TZP-8119-T1 3.0mm	100pcs	20bags	54x44x42cm
TZP-8119-T2	50pcs	20bags	54x44x45cm
TZP-8119-2S	/	/	/
TZP-8119-1S	/	/	/
TZO-8119-8A	/	/	/

TZT-8119-9L

Range:1-10cm
Load capacity:100kgs



TZT-8119-9N

Fine Tunable



TILE HEIGHT ADJUSTER

11

MEASURING TOOLS



TZT-8119-9L

60pcs



16kgs



66x44x38cm

TZT-8119-9N

100pcs

15kgs

43x16.5x24cm

TCS-8119-6B

TCS-8119-6B-60CM
TCS-8119-6B-80CM
TCS-8119-6B-100CM



TCM-8121

15Mx19MM



TZT-8119-9R

16mm-158mm



TCF-8122

TCF-8122/6"
TCF-8122/10"



TCL-8122-N/7"

15Mx19MM



TCD-8121-4

CHALK LINE



TCB-8125-B

TILE MARKING PEN




TCB-8125-S

TILE MARKING PEN



TCB-8125-C

TILE MARKING CRAYON



TCS-8119-6B-60CM	/	30pcs	6.5kgs	61.5x28x20cm
TCS-8119-6B-80CM	/	30pcs	7kgs	81.5x25x20cm
TCS-8119-6B-100CM	/	30pcs	7.5kgs	101.5x25x20cm
TCM-8121	12pcs	120pcs	23.8kgs	47x22x32cm
TZT-8119-9R	20pcs	100pcs	12kgs	68x19x29cm
TCF-8122/6"	/	40pcs	17kgs	51x32.5x29cm
TCF-8122/10"	/	30pcs	18kgs	48x38x32.5cm
TCL-8122-N/7"	/	60pcs	9kgs	23x23x23cm
TCD-8121-4	/	48pcs	13kgs	68.5x31.5x37.5cm
TCB-8125-B	144pcs	1440pcs	16kgs	49.5x20x32.5cm
TCB-8125-S	144pcs	2880pcs	23kgs	43x38x34cm
TCB-8125-C	288pcs	5760pcs	15kg	48x19x34.5cm

12

GROUTING & CLEANING TOOLS

TBQ-8302B-9"



TBQ-8302C-9"



TBQ-8304A-9"



TBQ-8304C-9"
9",10.5",13",16"



TBQ-8306A
9",10.5",13",16"



TBQ-8307-24"



CAULKING GUN

TBQ-8302B-9"	24pcs	11kgs	37x21x38cm
TBQ-8302C-9"	24pcs	13kgs	38x32x47cm
TBQ-8304A-9"	24pcs	13kgs	38x32x47cm
TBQ-8304C-9"	24pcs	13kgs	38x32x47cm
TBQ-8306A-9"	20pcs	10.2kgs	38x28x44cm
TBQ-8306A-10.5"	20pcs	11.3kgs	43x29x52cm
TBQ-8306A-13"	20pcs	12.5kgs	43x29x52cm
TBQ-8306A-16"	20pcs	13.5kgs	53x28x44cm
TBQ-8307-24"	36pcs	24kgs	70x36.5x63cm

TBL-8131



TBL-8132



TBL-8130-2

REPLACEMENT GROUT SAW BLADE



TBM-8203I-3

240x100x19mm



TBM-8203I-3-U

240x100x19mm



TBL-8138




TBL-8134



TBL-8133



TBX-8203N



TBX-8224



TBF-8137-JT



TBF-8139-AB



TDC-A41104

30cm



GROUT REMOVER / FINISH KIT

GROUT FLOAT / SPREADER

TBL-8131	60pcs	/	/
TBL-8132	60pcs	/	/
TBL-8130-2	60pcs	/	/
TBL-8138	60pcs	/	74x40x48cm
TBL-8134	60pcs	/	/
TBL-8133	60pcs	/	/
TBF-8137-JT	/	/	/
TBF-8139-AB	/	/	/
TDC-A41104	100pcs	/	74x40x48cm

TBM-8203I-3	36pcs	12kgs	49x36x39cm
TBM-8203I-3-U	/	/	/
TBX-8203N-180MM	50pcs	7.3kgs	45x21x14cm
TBX-8203N-300MM	40pcs	10kgs	33x26x19cm
TBX-8224	192pcs	14.5kgs	42x39x19cm

TBM-8127
190x130x50mm



TBM-8127-2
165x110x65mm



TBM-8127-4
165x100x50mm



TBO-8643-2
350MM,450MM,550MM,
600MM,750MM



TBM-8123I-5
280x140x30mm



TBM-8123I-6
280x140x18mm



TBM-8123I-7
280x140x10mm



TBM-8123I-8
260x80x8mm



TBB-8127-3
250x120x20mm/pad



TBB-8127-4M
150x90x20mm/pad



TBT-8151-12L



TBT-8151-24L



CLEANING TOOLS

TBM-8127	100pcs	/	5kgs	58x40x50cm
TBM-8127-2	100pcs	/	5kgs	58x40x50cm
TBM-8127-4	100pcs	/	5kgs	58x40x50cm
TBO-8643-2-350MM	30pcs	/	6.5kgs	40x17x37cm
TBO-8643-2-450MM	30pcs	/	7.5kgs	50x17x37cm
TBO-8643-2-550MM	30pcs	/	9.2kgs	60x17x37cm
TBO-8643-2-600MM	20pcs	/	7.5kgs	65x17x25cm
TBO-8643-2-750MM	20pcs	/	9.5kgs	80x17x25cm
TBM-8123I-5	60pcs	10pcs	/	/
TBM-8123I-6	60pcs	10pcs	/	/
TBM-8123I-7	60pcs	10pcs	11kgs	56x48x31cm
TBM-8123I-8	/	/	/	/
TBB-8127-3	20pcs	/	8kgs	135x28x27cm
TBB-8127-4M	80pcs	/	10.4kgs	66x51x50cm
TBT-8151-12L	2pcs	/	7.8kgs	54.5x31.5x59cm
TBT-8151-24L	2pcs	/	3.54kgs	47x27x43cm

13 SAFETY EQUIPMENT

TFX-8129B



TFX-8129B-1



TFX-8129C-5B



TFX-8129B-O



TFS-8645-1



TBO-8139-C



			
TFX-8129B	12pcs	8kgs	52x47x30cm
TFX-8129B-1	24pcs	6kgs	52x51x32cm
TFX-8129C-5B	20pcs	9kgs	72x48x30cm
TFX-8129B-O	/	/	/
TFS-8645-1	960pcs	30kgs	120x20x65cm
TBO-8139-C	/	/	/

SAFETY EQUIPMENT

14

FLOOR TOOLS

TWQ-8801-160



TWQ-8801-120



TWQ-8502



FLOOR CUTTER

			COMPATIBILITY	CUT TYPE			
TWQ-8801-160	16mm	300mm	Laminate/Vinyl/VCT	Straight cut/Oblique cut/L-cut	/	/	/
TWQ-8801-120	12mm	300mm	Laminate/Vinyl/VCT	Straight cut/Oblique cut/L-cut	/	/	/
TWQ-8502	10mm	210mm	Laminate	Straight cut/Oblique cut/L-cut	2pcs	15kgs	82x14x22cm

TWO-8506-20P
TWO-8506-40P
 Floor installation kit



TWL-8507



TWL-8507-2



TBL-8139

Tungsten carbide blade




TOJ-8508-3



TOJ-8508

0°,45°,60°,75°,90°,105°,120°



FLOOR TOOLS

			
TWO-8506-20P	20pcs	12.2kgs	41x34x24cm
TWO-8506-40P	12pcs	9.2kgs	35x29x20cm
TWL-8507	20pcs	13.4kgs	82x39x18cm
TWL-8507-2	12pcs	14kgs	48x35x18cm
TBL-8139	/	/	/
TOJ-8508-3	24pcs	11.5kgs	55x36x46cm
TOJ-8508	24pcs	11.5kgs	55x36x46cm

15 CARPET TOOLS

TTQ-8603
Carpet trimmer



TTC-8605
Knee kicker



TTC-8605-3
Knee kicker



CARPET TOOLS

			
TTQ-8603	20kgs	6.3kgs	37x32x55.5cm
TTC-8605	12pcs	14kgs	46x35x46cm
TTC-8605-3	9pcs	20.6kgs	41x39x52.5cm

16

DISPLAY



TOZ-8008



DISPALY



TOZ-8008

1SET in 2 CTN



60kgs



111x41x11.5cm
211x35x22.5cm